

Technical Data Grinding Wheel Fabrics

Technische Daten Schleifscheibengewebe

Style – Reference No.		Weight		Weave	Material		Thread count		
		loom roh g/m2	pregreg imprägn. g/m2		warp Kette tex	fill Schuss tex	warp Kette per cm	fill Schuss per cm	
886.0044.01		GI40	44	77	Dreher/Leno	EC-9 22	EC-9 34	10.4	6.0
886.0056.01		303, T056L MS56, M60	56	100	Dreher/Leno	EC-9 34	EC-9 68	8.2	4.0
886.0075.01		04697, T056L GI75, MC75	75	135	Dreher/Leno	EC-9 34	EC-9 68	10.8	5.5
886.0110.01		MC 11	110	170	Dreher/Leno	EC-9 68	EC-9 136	8.0	4.0
886.0130.01		T130L GI130, MC13	130	200	Dreher/Leno	EC-11 110	EC-11 204	6.0	3.0
886.0135.01		MM130, GI101	135	210	Dreher/Leno	EC-9 136	EC-11 300	4.8	2.3
886.0145.02		4698, GI145	145	225	Dreher/Leno	EC-9 136	EC-11 204	6.0	3.0
886.0160.01		93155, T170L, GI220/Cosmo	160	245	Dreher/Leno	EC-11 204	EC-16 410	4.0	1.9
886.0165.01		93055, T170LT, GI220, MC16	165	250	Dreher/Leno	EC-11 204	EC-9 136x3	4.0	1.8
886.0190.01		1417	195	300	Leinwand/Plain	EC-9 68x2	EC-9 68x2	7.0	7.0
886.0195.01		93157, T198L, GI191	195	295	Dreher/Leno	EC-11 204	EC-16 410	4.8	2.3
886.0200.01		VR13	205	290	Leinwand/Plain	EC-9 68	EC-9 68	17.0	12.0
886.0215.02 no standard		93132, T225L, GI230, MC22	220	325	Dreher/Leno	EC-13 272	EC-17 600	4.0	1.8
886.0230.02 no standard			230	340	Dreher/Leno	EC-13 272	EC-17 600	4.0	1.95
886.0235.01		93123, T245L, GI270	235	345	Dreher/Leno	EC-11 204	EC-16 410	6.0	2.6
886.0260.01 no standard		93140, MC27, GI250	260	380	Dreher/Leno	EC-13 340	EC-17 600	4.0	2.0
886.0260.02			260	380	Dreher/Leno	EC-13 272	EC-17 600	4.0	2.5
886.0270.01		MS 125	270	410	US-Dreher Leno US	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	2.0	2.0
886.0320.01		93010, 1410, MS20	320	480	Leinwand/Plain	EC-13 136x3	EC-13 136x3	3.9	3.9
886.0325.01		93160, T330L, GI380, MC32	325	475	Dreher/Leno	EC-16 410	EC-17 900	4.0	1.75
886.0350.01		93161, T350L, MC35	350	500	Dreher/Leno	EC-16 410	EC-17 900	4.0	2.0
886.0420.01			420	600	Panama 2/2	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	3.0	3.0
886.0430.01		93180, T450L, MS412, GI412	430	625	Dreher/Leno	EC-13 544	EC-17 1200	3.8	1.8
886.0530.01		TA550	530	770	Panama 2/2	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	3.8	3.8
886.0570.01 no standard			560	800	Panama 2/2	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	4.0	4.0
886.0605.02		93225	605	875	Leinwand/US Plain/Leno US	EC-17 1200 (+ PES 55tex)	EC-17 2400	2.5	1.25
886.0630.01 no standard			630	900	Panama 3/3	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	4.5	4.5

Alle Angaben entsprechen unserem heutigen Kenntnisstand, eine Verbindlichkeit kann daraus nicht hergeleitet werden.

The technical data given is for information only and without liability / Tous les données techniques sont de caractère informative et sans obligation.