

## Technical Data Grinding Wheel Fabrics

Technische Daten Schleifscheibengewebe

**E-Glass**

Style – Reference No.			Weight		Weave	Material		Thread count	
			loom g/m <sup>2</sup>	prepreg g/m <sup>2</sup>		warp tex	fill tex	warp per cm	fill per cm
<b>886.0044.01</b>		GI40	44	77	Dreher/Leno	EC-9 22	EC-9 34	10.4	6.0
<b>886.0056.01</b>		303, T056L MS56, M60	56	98	Dreher/Leno	EC-9 34	EC-9 68	8.2	4.0
<b>886.0065.01</b> <b>886.0065.02</b>			67	115	Dreher/Leno	EC-9 22	EC-9 68 EC-9 34x2	11.8	5.7
<b>886.0075.01</b>		04697, T056L GI75, MC75	76	132	Dreher/Leno	EC-9 34	EC-9 68	10.8	5.5
<b>886.0110.01</b>		MC 11	112	172	Dreher/Leno	EC-9 68	EC-9 136	8.0	4.0
<b>886.0130.01</b>		T130L GI130, MC13	131	202	Dreher/Leno	EC-11 110	EC-11 204	6.0	3.0
<b>886.0135.01</b>		MM130, GI101	138	213	Dreher/Leno	EC-9 136	EC-11 300	4.8	2.3
<b>886.0145.02</b>		4698, GI145	147	226	Dreher/Leno	EC-9 136	EC-11 204	6.0	3.0
<b>886.0160.01</b>		93155, T170L, GI220/Cosmo	164	245	Dreher/Leno	EC-11 204	EC-16 410	4.0	1.9
<b>886.0165.01</b>		93055, T170LT, GI220, MC16	164	248	Dreher/Leno	EC-11 204	EC-9 136x3	4.0	1.9
<b>886.0163.01</b>			168	251	Dreher/Leno	EC-9 136	EC-13 272	6.0	3.0
<b>886.0190.01</b>		1417	196	302	Leinwand/Plain	EC-9 68x2	EC-9 68x2	7.0	7.0
<b>886.0195.01</b>		93157, T198L, GI191	198	296	Dreher/Leno	EC-11 204	EC-16 410	4.8	2.3
<b>886.0200.01</b>		VR13	203	290	Leinwand/Plain	EC-9 68	EC-9 68	17.0	12.0
<b>886.0235.01</b>		93123, T245L, GI270	236	347	Dreher/Leno	EC-11 204	EC-16 410	6.0	2.6
886.0260.01 no standard		93140, MC27, GI250	264	382	Dreher/Leno	EC-13 340	EC-17 600	4.0	2.0
<b>886.0260.02</b>			267	386	Dreher/Leno	EC-13 272	EC-17 600	4.0	2.5
<b>886.0270.01</b>		MS 125	280	418	US-Dreher Leno US	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	2.0	2.0
<b>886.0320.01</b>		93010, 1410, MS20	328	482	Leinwand/Plain	EC-13 136x3	EC-13 136x3	3.9	3.9
<b>886.0325.01</b>		93160, T330L, GI380, MC32	330	479	Dreher/Leno	EC-16 410	EC-17 900	4.0	1.8
<b>886.0350.01</b>		93161, T350L, MC35	354	505	Dreher/Leno	EC-16 410	EC-17 900	4.0	2.0
<b>886.0420.01</b>			420	600	Panama 2/2	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	3.0	3.0
<b>886.0430.01</b>		93180, T450L, MS412, GI412	435	622	Dreher/Leno	EC-13 544	EC-17 1200	3.8	1.8
<b>886.0530.01</b>		TA550	532	760	Panama 2/2	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	3.8	3.8
886.0570.01 no standard			560	800	Panama 2/2	EC-13 136x5 (+ PES 28tex)	EC-13 136x5	4.0	4.0
<b>886.0605.02</b>		93225	618	883	Dreher/Leno	EC-17 1200 (+ PES 55tex)	EC-17 2400	2.5	1.3

Alle Angaben entsprechen unserem heutigen Kenntnisstand, eine Verbindlichkeit kann daraus nicht hergeleitet werden.

The technical data given is for information only and without liability / Tous les données techniques sont de caractère informative et sans obligation.